

CITY OF MOUNTAIN VIEW
RESOLUTION NO.
SERIES 2019

A RESOLUTION CONDITIONALLY APPROVING A PLANNED UNIT
DEVELOPMENT PERMIT AND DEVELOPMENT REVIEW PERMIT
TO CONSTRUCT A SIX-UNIT ROWHOUSE DEVELOPMENT ON A 0.39-ACRE
PROJECT SITE AT 1958 LATHAM STREET

WHEREAS, an application was received from Jason Kim, LLC, for a Planned Unit Development Permit and a Development Review Permit to construct a six-unit project at 1958 Latham Street (Application No. PL-2019-144); and

WHEREAS, the Zoning Administrator held a public hearing on November 13, 2019 on said application and recommended the City Council conditionally approve the Planned Unit Development Permit and Development Review Permit subject to the attached findings and conditions of approval; and

WHEREAS, the City Council held a public hearing on December 10, 2019 on said applications and received and considered all evidence presented at said hearing, including the resolutions and project materials from the Zoning Administrator and City Council report and materials;

NOW, THEREFORE, BE IT RESOLVED that the City Council of the City of Mountain View finds:

1. The Planned Unit Development Permit for 1958 Latham Street is conditionally approved based upon the conditions contained herein and upon the following findings pursuant to Section 36.46.95 of the City Code:

a. The proposed residential land use is allowed within the R3-1 Zoning District and in the Medium-High Density Residential Land Use Designation of the General Plan;

b. The site is physically suitable for the type and intensity of the land use being proposed since the site meets most of the development standards in the Zoning Ordinance, including maximum floor area ratio, setbacks, building coverage, and open space; and meets the density requirements for its General Plan Land Use Designation and zoning. Although the site does not comply with the Rowhouse Guidelines' minimum lot area, the site's wide lot frontage allows for a design that meets the intent of the Rowhouse Guidelines. The project has a strong street presence with front facades

oriented towards the street and garages concealed at the rear of the site. The project also promotes a comfortable pedestrian environment through use of front yard landscaping and special paving materials at pedestrian connections;

c. The proposed project would be harmonious and compatible with existing and future developments within the zoning district and surrounding area because its height is similar to the surrounding residential apartment buildings, and it incorporates traditional design elements seen in the area such as hip and gable roof forms and front porches;

d. The proposed residential project will constitute a residential environment of sustained desirability and stability and will result in an intensity of land utilization no higher than, and standards of open space no less than, permitted for a similar development within the zoning district because it includes a well-designed site plan that preserves two mature oak trees, while effectively utilizing the space underneath the trees' canopies as passive open space. The project maximizes the amount of residential units allowed for the site, while also meeting the intent of the Rowhouse Guidelines by creating well-designed open spaces areas and the landscape palette complies with the City's Water Conservation in Landscaping Regulations;

e. The location, size, design, and operating characteristics of the proposed project are not detrimental to the public interest, health, safety, convenience, or welfare of the community because the project conforms to the pertinent health and safety codes; it is located in an urban area; proposes a one-way driveway that provides adequate access to the private garages and one guest parking space, includes units that all face the public street, and proposes a well-landscaped front yard with pathways that provide pedestrian connectivity from the units to the passive amenity area located underneath the two preserved oaks;

f. The proposed project is in substantial compliance with the intent of requirements of the R3-1 (Multiple-Family Residential) Zoning District, and implementation of the proposed harmonious and integrated Planned Unit Development design is superior to standard development in the underlying zone and, therefore, justifies the exceptions to the requirements of this chapter. The project is designed to meet the Rowhouse Guidelines and proposes a design that emphasizes strong pedestrian connections, attractive street frontages, and high-quality open space to foster a more residential character. The proposed project includes architectural treatments such as front porches with wood posts and stone veneers to create an attractive street presence; a one-way loop driveway that provides access to the private garages and one guest parking space hidden at the back of the buildings; and a pedestrian connection between the two buildings that lead to the common open area underneath the canopy of two existing, mature Coast live oaks. Although the project provides only one of the two required guest parking spaces, the parking exception is justified as the site's

exceptional design preserves the two Heritage trees at the rear, fosters front connections, and allows the main facades of each unit to be oriented facing the public street;

g. The proposed project complies with the Rowhouse Guidelines because it is well-designed and integrated with the existing residential neighborhood character by including traditional architectural features such as hip and gable roof forms; front porches with stone veneers, wood trellises, and metal awnings and railings. The project meets the proposed Rowhouse Guidelines by incorporating design features such as entryways facing the street and front landscaping to connect the residences. The project does not comply with parking standards and recommended minimum lot size, but meets the design intent of the Rowhouse Guidelines, by emphasizing a high-quality open space area and creating a strong street presence with articulated frontages and use of special paving to emphasize pedestrian connections and highly visible areas of the driveway; and

h. The approval of the Planned Unit Development Permit for the proposed project complies with the California Environmental Quality Act (CEQA) because the project is categorically exempt pursuant to Section 15332 (“In-Fill Development Projects”) of the CEQA Guidelines because the project is consistent with the General Plan Designation and Zoning District regulations; is on a project site of less than five acres; contains no value as habitat for endangered, rare, or threatened species; would not result in any significant effects related to traffic, noise, air quality, or water quality; and the site can be adequately serviced by all required utilities and public services.

2. The Development Review Permit for 1958 Latham Street is conditionally approved based upon the conditions contained herein and upon the following findings pursuant to Section 36.44.70 of the City Code:

a. The project complies with the general design considerations as described by the purpose and intent of the Zoning Ordinance, the General Plan, and any City-adopted design guidelines. The project complies with the General Plan’s Goal LUD-9, “Buildings that enhance the public realm and integrate with the surrounding neighborhood,” and Goal LUD-6, “Distinctive neighborhoods that preserve and enhance the quality of life for residents,” because the project incorporates massing and traditional architectural features found in adjacent buildings. The project also complies with the Rowhouse Guidelines’ goals of designing building entrances facing the street, and incorporating landscaping and special paving materials at vehicular and pedestrian connections to promote a more comfortable and safe pedestrian environment. Although the development meets the intent of the Rowhouse Guidelines, the project does not comply with parking requirements and guidelines for minimum lot area. In order to preserve two existing Heritage trees (Coast live oaks), the project proposes only one of the two required guest parking space. The Rowhouse Guidelines recommend a

minimum 0.5-lot area, but the lot is only 0.39 acre. However, the project's wide lot frontage allows for a design that complies with the intent of the Rowhouse Design Guidelines because the design incorporates elements that promote a strong street presence, and a design focused around the large 1,700 square foot common open area underneath the canopy of two preserved Heritage trees. Despite the small size, the project proposes a one-way driveway, which provides efficient vehicular circulation, and is designed to also meet the coverage, setback, and open area requirements for rowhouse developments.

b. The architectural design of structures, including colors, materials, and design elements (i.e., awnings, exterior lighting, screening of equipment, signs, etc.), is compatible with surrounding development because it is a rowhouse development that is well-designed and integrated with the existing neighborhood character, which includes primarily two- to three-story apartment complexes with traditional features. Such architectural features and materials used on this building and seen in surrounding buildings include stucco, hipped and gabled roof forms, and stone veneer bases;

c. The location and configuration of structures, parking, landscaping, and access are appropriately integrated and compatible with surrounding development, including public streets and sidewalks and other public property, by using massing and traditional elements that are consistent with the existing neighborhood. The site plan allows for the preservation of the existing Heritage trees and for all units' front facades to face the street;

d. The general landscape design ensures visual relief, complements structures, provides an attractive environment, and is consistent with any adopted landscape program for the general area by including a well-designed landscape plan that preserves the two existing Heritage trees and providing a common open area beneath the driplines of the preserved trees. Because of limitations of plantings underneath the oaks, planter seats and a grill are proposed to create a more pleasant amenity area;

e. The design and layout of the proposed project will result in well-designed vehicular and pedestrian access, circulation, and parking by creating a circular one-way driveway for access to the rear of the residences and a paseo that separates the two proposed buildings and connects to the common open area. Parking is available in the private garages with one guest parking space at the rear of the site. To preserve the Heritage tree, only one guest parking space and one bicycle parking space could be accommodated. Special paving is used at paseos and visible areas of the driveway to promote a more residential scale; and

f. The approval of the Development Review Permit for the proposed use is in compliance with the California Environmental Quality Act (CEQA) because the

project is categorically exempt pursuant to Section 15332 (“Infill Development Projects”) of the CEQA Guidelines because the project is consistent with the General Plan Designation and Zoning District regulations; is on a project site of less than five acres; contains no value as habitat for endangered, rare, or threatened species; would not result in any significant effects related to traffic, noise, air quality, or water quality; and the site can be adequately serviced by all required utilities and public services.

NOW, THEREFORE, BE IT FURTHER RESOLVED by the City Council of the City of Mountain View that the Planned Unit Development Permit and Development Review Permit for said project are hereby granted subject to the developer’s fulfillment of all the conditions which are attached hereto as Exhibit A and incorporated herein by reference.

KP/2/RESO
828-12-10-19r-1

Exhibit: A. Conditions of Approval

CONDITIONS OF APPROVAL
APPLICATION NO.: PL-2019-144
1958 Latham Street

The applicant is hereby notified, as part of this application, that (s)he is required to meet the following conditions in accordance with the City Code of the City of Mountain View and the State of California. The lead department is identified on each condition where necessary. Where approval by the Community Development Director, City Engineer, Public Works Director, City Attorney, Chief Building Official, or Fire Department is required, that review shall be for compliance with all applicable conditions of approval, adopted policies and guidelines, ordinances, laws and regulations, and accepted practices for the item(s) under review. The applicant is hereby notified that (s)he is required to comply with all applicable codes or ordinances of the City of Mountain View and the State of California that pertain to this development and are noted herein.

This approval is granted to construct a 6-unit rowhouse development located on Assessor Parcel No. 154-21-017. Development shall be substantially as shown on the project materials listed below, except as may be modified by conditions contained herein:

- a. Project drawings prepared by T Square Consulting Group, Inc. for Jason Kim, LLC, dated October 24, 2019, and consisting of 43 sheets.
- b. Color and materials board prepared by T Square Consulting Group, Inc. for Jason Kim, LLC dated October 24, 2019, and kept on file in the Planning Division of the Community Development Department.

THIS REQUEST IS GRANTED SUBJECT TO THE FOLLOWING CONDITIONS:

Community Development Department – 650-903-6306

- 1. **EXPIRATION:** The Planned Unit Development Permit and Development Review Permit shall be valid for a period of two years from the date of the City Council approval. Building permits for the project shall be issued within this two-year period or the permits shall become null and void unless an extension is granted by the Zoning Administrator.
- 2. **PERMIT EXTENSION:** Zoning permits may be extended for up to an additional two years after public hearing review by the Zoning Administrator, in compliance with the procedures described in the Zoning Ordinance. An application for extension must be filed with the Planning Division of the Community Development Department, including appropriate fees, prior to the original expiration date of the permit.

PLANS AND SUBMITTAL REQUIREMENTS

- 3. **ZONING INFORMATION:** The following information must be listed on the lower right-hand corner of the title sheet of the building permit drawings: (a) zoning permit application number; (b) zoning designation; (c) floor area ratio or density in units per acre; (d) lot area (in square feet); and (e) total number of parking spaces.
- 4. **CERTIFICATION OF BUILDING PERMIT PLANS:** The project architect shall certify in writing that the architectural design shown in the building permit plans match the plans approved by the City Council/Zoning Administrator. Any changes must be clearly noted. The project architect shall also certify that the structural plans are consistent with the architectural plans. In the event of a discrepancy between the structural plans and the architectural plans, the architectural plans shall take precedence, and revised structural drawings shall be submitted to the Building Inspection Division.

5. **REVISIONS TO THE APPROVED PROJECT:** Minor revisions to the approved plans shall require approval by the Zoning Administrator. Major modifications as determined by the Zoning Administrator shall require a public hearing, which can be referred to City Council.
6. **PLANNING INSPECTION:** Inspection(s) by the Planning Division are required for the framing, application of exterior materials, and final completion of each structure to ensure that the construction matches the approved plans.
7. **COLOR CHIPS:** Color chips shall be attached to the title sheet of two sets of the building permit drawings and the color scheme shall be shown on the elevations.
8. **BUILDING DESIGN MODIFICATIONS:** The applicant shall submit revised plans addressing architectural design, building materials, colors, landscaping, and/or other site or building design details as identified below, based on direction from the Development Review Committee (DRC), and subject to review and approval by the Zoning Administrator prior to issuance of a building permit:
 - a. **Stone and Trim Accents:** Continue to work with staff to refine the design of the stone accent materials, trim bands and other porch and balcony details to ensure they achieve design objectives for distinguishing individual units, creating a cohesive building base, enhancing the end units, and providing proper proportions.
 - b. **Front Landscaping:** Continue to work with staff to enhance the pedestrian environment by adding trees or other vertical landscaping in front-yard areas, as feasible given public utility easement limitations and fire pads requirements.
 - c. **Utility Screening:** Continue to work with staff to find alternate locations for AC units with less visibility from the public sidewalk, and to refine the design and materials of AC unit screens to ensure a high-quality, integrated appearance with adjacent structures.
 - d. **Lighting:** Continue to work with staff on a more decorative light fixture for building sides and rear elevations and pedestrian revisions to the lighting plan to enhance the building appearance and better match the residential architecture.
9. **EXTERIOR MATERIALS:** High-quality materials and finishes shall be used throughout the project and shall remain in compliance with the materials identified in the approved plans, except as modified by the conditions of approval herein. Details regarding all color and architectural details shall be provided in the building permit plan submittal and shall be subject to review and approval by the Zoning Administrator prior to the issuance of building permits.
10. **TRIM MATERIALS:** Trim materials throughout the project shall be wood or high-density foam trim. Details of the specific placement and utilization of the trim materials shall be provided with the building permit drawings. Final trim design details shall be subject to review and approval by the Zoning Administrator prior to the issuance of building permits.
11. **SPECIAL PAVING MATERIALS:** The color, material, design, and product specifications for the special paving materials used on-site shall be submitted with the building permit drawings. Final paving design details shall be subject to review and approval by the Zoning Administrator prior to the issuance of building permits.
12. **WINDOWS:** Manufacturer type, design, material, and installation details for all windows within the project shall be specified for each unit in the building permit drawings for review and approval by the Zoning Administrator prior to the issuance of building permits.

13. **RECESSED WINDOWS:** All windows shall be recessed from the face of the building up to 3”.
14. **PAINT SAMPLES:** The applicant shall paint a portion of the building with the proposed color scheme for inspection. Proposed primary and secondary (accent) paint colors should be painted next to each other on the building, to the extent feasible, for purposes of inspection. The color(s) shall not be considered approved until after inspection and approval by the Zoning Administrator.

SITE DEVELOPMENT AND BUILDING DESIGN

15. **FENCE/WALL:** All fencing and walls are to be shown on construction plans submitted for building permit review and shall not exceed 6’ in height (3’ in height within corner visibility triangles), measured from adjacent grade to the top of the fence or wall. The design and location must be approved by the Zoning Administrator and comply with all setback requirements.
16. **PARKING SPACE DESIGN:** All parking spaces (except parallel spaces) must be double-striped. Double stripes shall be 12” apart, from outside edge to outside edge of the stripe. The 8-1/2’ parking space width is measured from the center of one double stripe to the other, such that the space between stripes is 7-1/2’. For parallel parking spaces, only single-striped is required. Single stripes shall be measured from interior edge to interior edge of the stripe, such that the space between stripes is 24’.
17. **LIGHTING PLAN:** The applicant shall submit a lighting plan with the application for building permit. This plan should include photometric contours, manufacturer’s specifications on the fixtures, and mounting heights. The design and location of outdoor lighting fixtures shall ensure there will be no glare and light spillover to surrounding properties. The lighting plan submitted with building permit drawings must be approved by the Zoning Administrator prior to building permit issuance.
18. **BIKE RACKS:** The applicant shall provide at least one bicycle space per unit in the garage and one guest bicycle parking. The racks shall be an “inverted U,” or equivalent as approved by the Zoning Administrator, and must secure the frame and both wheels. Racks should be located near the building entrance (i.e., within constant visual range) unless it is demonstrated that they create a public hazard or locating them there is otherwise infeasible. If space is unavailable near building entrances, the racks must be designed so that the lock is protected from physical assault.

GREEN BUILDING AND SUSTAINABILITY MEASURES

19. **GREEN BUILDING – RESIDENTIAL NEW CONSTRUCTION:** The project is required to meet the mandatory measures of the California Green Building Standards Code and meet the intent of 101 GreenPoint Rated points. All mandatory prerequisite points and minimum point totals per category to attain GreenPoint Rated status must be achieved, unless specific point substitutions or exceptions are approved by the Community Development Department. Formal project registration and certification through Build It Green is not required for compliance with the Mountain View Green Building Code (MVGBC). The project is also required to comply with Title 24, Part 6.

LANDSCAPING

20. **LANDSCAPING:** Detailed landscape plans encompassing on- and off-site plantable areas out to the curb must be included in the Building Inspection Division application. Minimum plant sizes are flats or 1-gallon containers for ground cover, 5-gallon for shrubs, and 24” box for trees. The drawings must be approved by the Zoning Administrator prior to building permit issuance and implemented prior to occupancy. All plans should be prepared by a licensed Landscape Architect and should comply with the City’s Landscape Guidelines, including the Water Conservation in Landscaping Regulations (forms are available online at www.mountainview.gov/planningforms). Additional landscaping materials or modifications may be required by

the Planning Division at final inspection to ensure adequate planting coverage and/or screening.

21. **CERTIFICATION:** Prior to occupancy, the Landscape Architect shall certify in writing the landscaping has been installed in accordance with all aspects of the approved landscape plans and final inspection(s), subject to final approval by the Zoning Administrator.
22. **STREET TREE:** The applicant shall complete the "Proposed Street Tree" form available in the Planning Division or online at www.mountainview.gov/planningforms. Once completed, the applicant shall return the original to the Parks Division, located at 235 North Whisman Road, and provide a duplicate copy to the Building Inspection Division with building permit submittal.
23. **ARBORIST REPORT:** A qualified arborist shall provide written instructions for the care of the two *Quercus agrifolia* trees before, during, and after construction. The report shall also include a detailed plan showing installation of chain link fencing around the dripline to protect these trees and installation of an irrigation drip system and water tie-in for supplemental water during construction. Arborist's reports shall be received by the Planning Division and must be approved prior to issuance of building permits. Prior to occupancy, the arborist shall certify in writing that all tree preservation measures have been implemented. Approved measures from the report shall be included in the building permit drawings.
24. **MONTHLY ARBORIST INSPECTIONS:** Throughout demolition and construction, a qualified arborist must conduct monthly inspections to ensure tree protection measures and maintenance care are provided. A copy of the inspection letter, including recommendations for modifications to tree care or construction activity to maintain tree health, shall be provided to the Planning Division.
25. **LANDSCAPE SCREENING:** All utility meters, lines, transformers, backflow preventers, etc., on-site or off-site, must be shown on all site plan drawings and landscape plan drawings. All such facilities shall be located so as to not interfere with landscape material growth and shall be screened in a manner which respects the building design and setback requirements. Additional landscaping materials or modifications may be required by the Planning Division at final inspection to ensure adequate plant screening.

HERITAGE TREES

26. **TREE PROTECTION MEASURES:** The tree protection measures listed in the arborist's report prepared by Michael L Bench and dated July 5, 2018 shall be included as notes on the title sheet of all grading and landscape plans. These measures shall include, but may not be limited to, 6' chain link fencing at the drip line, a continuous maintenance and care program, and protective grading techniques. Also, no materials may be stored within the drip line of any tree on the project site.
27. **TREE MITIGATION AND PRESERVATION PLAN:** The applicant shall develop a tree mitigation and preservation plan to avoid impacts on regulated trees and mitigate for the loss of trees that cannot be avoided. Routine monitoring for the first five years and corrective actions for trees that consistently fail the performance standards will be included in the tree mitigation and preservation plan. The tree mitigation and preservation plan will be developed in accordance with Chapter 32, Articles I and II, of the City Code, and subject to approval of the Zoning Administrator prior to removal or disturbance of any Heritage trees resulting from project activities, including site preparation activities.
28. **IRREVOCABLE DAMAGE TO HERITAGE TREES:** In the event one or more of the preserved Heritage tree(s) are not maintained and irrevocable damage or death of the tree(s) has occurred due to construction activity, a stop work order will be issued on the subject property and no construction activity shall occur for two working days per damaged tree.

SIGNS

29. **SIGNAGE:** No signs are approved as part of this application. Any new signage will require a separate Planning and/or building permit. Application form and submittal requirements are available online at www.mountainview.gov/planningforms.

NOISE

30. **MECHANICAL EQUIPMENT:** The noise emitted by any mechanical equipment shall not exceed a level of 55 dB(A) during the day or 50 dB(A) during the night, 10:00 p.m. to 7:00 a.m., when measured at any location on the adjoining residentially used property.
31. **NOISE GENERATION:** All noise-generating activities (i.e., entertainment or amplified sound) are limited to interior areas only, and the heating, ventilation, and air conditioning system shall be maintained to ensure that all windows and doors can remain closed when the restaurant is in operation.
32. **INTERIOR NOISE LEVELS:** Construction drawings must confirm that measures have been taken to achieve an interior noise level of 45 dB(A)_{L_{dn}} that shall be reviewed and approved by a licensed acoustical engineer prior to building permit submittal.
33. **CONSTRUCTION NOISE REDUCTION:** The following noise reduction measures shall be incorporated into construction plans and contractor specifications to reduce the impact of temporary construction-related noise on nearby properties: (a) comply with manufacturer's muffler requirements on all construction equipment engines; (b) turn off construction equipment when not in use, where applicable; (c) locate stationary equipment as far as practical from receiving properties; (d) use temporary sound barriers or sound curtains around loud stationary equipment if the other noise reduction methods are not effective or possible; and (e) shroud or shield impact tools and use electric-powered rather than diesel-powered construction equipment.

CONSTRUCTION PRACTICES AND NOTICING

34. **SINGLE-PHASE DEVELOPMENT:** Construction of the project shall be done in a single phase unless a phased construction project schedule is approved by the Zoning Administrator (or City Council).
35. **WORK HOURS:** No work shall commence on the job site prior to 7:00 a.m. nor continue later than 6:00 p.m., Monday through Friday, nor shall any work be permitted on Saturday or Sunday or any holiday unless prior approval is granted by the Chief Building Official. At the discretion of the Chief Building Official, the general contractor or the developer may be required to erect a sign at a prominent location on the construction site to advise subcontractor and material suppliers of the working hours. Violation of this condition of approval may be subject to the penalties outlined in Section 8.6 of the City Code and/or suspension of building permits.
36. **CONSTRUCTION PARKING:** The applicant shall prepare a construction parking management plan to address parking demands and impacts during the construction phase of the project by contractors or other continued operations on-site. The construction parking management plan shall be subject to review and approval by the Zoning Administrator prior to the issuance of building permits.
37. **NOTICE OF CONSTRUCTION:** The applicant shall notify neighbors within 750' of the project site of the construction schedule in writing, prior to construction. For multi-phased construction, separate notices may be required for each phase of construction. A copy of the notice and the mailing list shall be submitted for review prior to issuance of building permits.
38. **DISTURBANCE COORDINATOR:** The project applicant shall designate a "disturbance coordinator" who will be

responsible for responding to any local complaints regarding construction noise. The coordinator (who may be an employee of the general contractor) will determine the cause of the complaint and will require that reasonable measures warranted to correct the problem be implemented. A telephone number of the noise disturbance coordinator shall be conspicuously posted at the construction site fence and on the notification sent to neighbors adjacent to the site. The sign must also list an emergency after-hours contact number for emergency personnel.

39. **AIR QUALITY:** The applicant will be required to secure a permit from the Bay Area Air Quality Management District or provide written assurance that no permit is required prior to issuance of a building permit.
40. **BASIC AIR QUALITY CONSTRUCTION MEASURES:** The applicant shall require all construction contractors to implement the basic construction mitigation measures recommended by the Bay Area Air Quality Management District (BAAQMD) to reduce fugitive dust emissions. Emission reduction measures will include, at a minimum, the following measures. Additional measures may be identified by the BAAQMD or contractor as appropriate, such as: (a) all exposed surfaces (e.g., parking areas, staging areas, soil piles, graded areas, and unpaved access roads) will be watered two times per day; (b) all haul trucks transporting soil, sand, or other loose material off-site will be covered; (c) all visible mud or dirt track-out onto adjacent public roads will be removed using wet power vacuum street sweepers at least once per day. The use of dry power sweeping is prohibited; (d) all vehicle speeds on unpaved roads will be limited to 15 mph; (e) all roadways, driveways, and sidewalks to be paved will be completed as soon as possible. Building pads will be laid as soon as possible after grading unless seeding or soil binders are used; and (f) post a publicly visible sign with the telephone number and person to contact at the lead agency regarding dust complaints. This person will respond and take corrective action within 48 hours. The BAAQMD's phone number will also be visible to ensure compliance with applicable regulations.
41. **DISCOVERY OF CONTAMINATED SOILS:** If contaminated soils are discovered, the applicant will ensure the contractor employs engineering controls and Best Management Practices (BMPs) to minimize human exposure to potential contaminants. Engineering controls and construction BMPs will include, but not be limited to, the following: (a) contractor employees working on-site will be certified in OSHA's 40-hour Hazardous Waste Operations and Emergency Response (HAZWOPER) training; (b) contractor will stockpile soil during redevelopment activities to allow for proper characterization and evaluation of disposal options; (c) contractor will monitor area around construction site for fugitive vapor emissions with appropriate field screening instrumentation; (d) contractor will water/mist soil as it is being excavated and loaded onto transportation trucks; (e) contractor will place any stockpiled soil in areas shielded from prevailing winds; and (f) contractor will cover the bottom of excavated areas with sheeting when work is not being performed.
42. **DISCOVERY OF ARCHAEOLOGICAL RESOURCES:** If prehistoric or historic-period cultural materials are unearthed during ground-disturbing activities, it is recommended that all work within 100' of the find be halted until a qualified archaeologist and Native American representative can assess the significance of the find. Prehistoric materials might include obsidian and chert-flaked stone tools (e.g., projectile points, knives, scrapers) or tool-making debris; culturally darkened soil ("midden") containing heat-affected rocks and artifacts; stone milling equipment (e.g., mortars, pestles, handstones, or milling slabs); and battered-stone tools, such as hammerstones and pitted stones. Historic-period materials might include stone, concrete, or adobe footings and walls; filled wells or privies; and deposits of metal, glass, and/or ceramic refuse. If the find is determined to be potentially significant, the archaeologist, in consultation with the Native American representative, will develop a treatment plan that could include site avoidance, capping, or data recovery.
43. **DISCOVERY OF HUMAN REMAINS:** In the event of the discovery of human remains during construction or demolition, there shall be no further excavation or disturbance of the site within a 50' radius of the location of such discovery, or any nearby area reasonably suspected to overlie adjacent remains. The Santa Clara County Coroner shall be notified and shall make a determination as to whether the remains are Native American. If the Coroner determines that the remains are not subject to his/her authority, he/she shall notify the Native American Heritage Commission, which shall attempt to identify descendants of the deceased Native American. If no satisfactory agreement can be reached as to the disposition of the remains pursuant to this State law, then the landowner shall

reinter the human remains and items associated with Native American burials on the property in a location not subject to further subsurface disturbance. A final report shall be submitted to the City's Community Development Director prior to release of a Certificate of Occupancy. This report shall contain a description of the mitigation programs and its results, including a description of the monitoring and testing resources analysis methodology and conclusions, and a description of the disposition/curation of the resources. The report shall verify completion of the mitigation program to the satisfaction of the City's Community Development Director.

44. **DISCOVERY OF PALEONTOLOGICAL RESOURCES:** In the event that a fossil is discovered during construction of the project, excavations within 50' of the find shall be temporarily halted or delayed until the discovery is examined by a qualified paleontologist, in accordance with Society of Vertebrate Paleontology standards. The City shall include a standard inadvertent discovery clause in every construction contract to inform contractors of this requirement. If the find is determined to be significant and if avoidance is not feasible, the paleontologist shall design and carry out a data recovery plan consistent with the Society of Vertebrate Paleontology standards.
45. **PRECONSTRUCTION NESTING BIRD SURVEY:** To the extent practicable, vegetation removal and construction activities shall be performed from September 1 through January 31 to avoid the general nesting period for birds. If construction or vegetation removal cannot be performed during this period, preconstruction surveys will be performed no more than two days prior to construction activities to locate any active nests as follows:

The applicant shall be responsible for the retention of a qualified biologist to conduct a survey of the project site and surrounding 500' for active nests—with particular emphasis on nests of migratory birds—if construction (including site preparation) will begin during the bird nesting season, from February 1 through August 31. If active nests are observed on either the project site or the surrounding area, the project applicant, in coordination with the appropriate City staff, shall establish no-disturbance buffer zones around the nests, with the size to be determined in consultation with the California Department of Fish and Wildlife (usually 100' for perching birds and 300' for raptors). The no-disturbance buffer will remain in place until the biologist determines the nest is no longer active or the nesting season ends. If construction ceases for two days or more and then resumes during the nesting season, an additional survey will be necessary to avoid impacts on active bird nests that may be present.

TECHNICAL REPORTS

46. **GEOTECHNICAL REPORT:** The applicant shall have a design-level geotechnical investigation prepared which includes recommendations to address and mitigate geologic hazards in accordance with the specifications of California Geological Survey (CGS) Special Publication 117, *Guidelines for Evaluating and Mitigating Seismic Hazards*, and the requirements of the Seismic Hazards Mapping Act. The report will be submitted to the City prior to the issuance of building permits, and the recommendations made in the geotechnical report will be implemented as part of the project. Recommendations may include considerations for design of permanent below-grade walls to resist static lateral earth pressures, lateral pressures caused by seismic activity, and traffic loads; method for backdraining walls to prevent the buildup of hydrostatic pressure; considerations for design of excavation shoring system; excavation monitoring; and seismic design.

CC&RS AND DISCLOSURES

47. **CC&Rs:** Four copies of the proposed Covenants, Conditions, and Restrictions (CC&Rs) for the homeowners association shall be submitted to the Planning Division and approved by the City Attorney prior to building permit issuance. The applicant shall attach a completed CC&R checklist to the CC&Rs upon submittal along with associated review fee made payable to the Mountain View City Attorney's Office. The checklist can be obtained in the Planning Division Lobby or call at 650-903-6306.

48. **MASTER PLAN:** The applicant shall prepare a master plan which establishes rules for modifications or additions of any building structures at this site, including fences, trellises, sunshades, and accessory buildings, as well as modifications to principal buildings. These rules shall be consistent with the provisions of the R3-1 Zoning District and shall be approved by the Zoning Administrator. The Covenants, Conditions, and Restrictions (CC&Rs) shall specifically state that the master plan establishes the rules for additions/modifications to the complex and that changes to the master plan require approval by the Zoning Administrator. Two copies of the final master plan shall be submitted to the Planning Division to remain on file.
49. **GARAGES:** Garages are to be used for resident parking only. Storage is permitted so long as it does not prevent use of garage for required vehicle parking.
50. **PROJECT INFORMATION:** All marketing and sales literature, leasing information, and the Covenants, Conditions, and Restrictions (CC&Rs) for the complex shall clearly state that this project is complete as built and that no further expansions to the building structures are permitted without Planning Division approval. Any revisions to the project would require a separate application to the City by the homeowners association and would need to establish rules for all units in the complex.

LEGAL AGREEMENTS AND FEES

51. **BMR OWNERSHIP, IN-LIEU FEES:** Prior to issuance of building permits, the applicant shall enter into written agreements with the City that will require the applicant to pay a Below-Market-Rate (BMR) Housing In-Lieu Fee to the City consistent with City Code Sections 36.80 through 36.89 and the Below-Market-Rate Housing Program Administrative Guidelines and Directives. The in-lieu fee payment shall be 3 percent of the actual gross sales price of each unit and shall be paid upon the close of escrow for each unit.
52. **BMR, PROCESS:** Following project approval, the applicant shall submit the following information to the Administrative and Neighborhood Services Manager in the Community Development Department, 650-903-6379: (a) a copy of the first page of the Findings Report; (b) a copy of the page from the Findings Report that contains the Below-Market-Rate (BMR) condition; and (c) a legal description of the property.

At the time of submittal for building permits, the applicant shall contact the Administrative and Neighborhood Services Manager, 650-903-6379, and a BMR agreement will be prepared for the project. Before building permits can be issued, the BMR agreement must be signed by the developer, and, if applicable, a 10 percent deposit of the required BMR fees must be paid to the City.

53. **NOTICE OF DEVELOPMENT RESTRICTIONS:** A Notice of Development Restrictions indicating the related development permit conditions that are to be completed with the development of the property is required for all planned developments and common-interest developments. The notice shall be in a form approved by the Planning Division and City Attorney's Office and shall be signed and notarized by the subdivider. The approved and executed Notice of Development Restrictions must be recorded on the land of the subdivision before the approval of the parcel or final map.
54. **INDEMNITY AGREEMENT:** Prior to the issuance of any building permits, the applicant shall agree, in writing, to defend, indemnify, and hold harmless the City and its officers, agents, and employees in any action brought by a third party to void this Planned Unit Development and Development Review Permit. The agreement shall be in a form satisfactory to the City Attorney and Zoning Administrator. It shall run with the land and shall not be amended without prior City consent.

RIGHTS-OF-WAY

55. **PUBLIC UTILITY EASEMENT (PUE) DEDICATION:** Dedicate a 5' wide public utility easement (PUE) along project street frontage(s) for such use as sanitary sewer, water, storm drains, and other public utilities, including gas, electric, communication and cable television facilities. The property owner or Home Owners Association (HOA) shall maintain the surface improvements over the easement, and must not modify or obstruct the easement area in a manner contrary to the intent of the easement. The dedication statement shall specify that the PUE be kept free and clear of buildings and other permanent structures/facilities, including, but not limited to, the following:
- Garages, sheds, carports, and storage structures;
 - Balconies and porches;
 - Retaining walls;
 - C.3 bioretention systems; and
 - Private utility lines running longitudinally within the PUE.

FEES

56. **TRANSPORTATION IMPACT FEE:** The fee is applicable to all projects who submitted a formal planning application after July 1, 2018 or who are issued a building permit after January 1, 2021 per City Code (Chapter 43). The applicant shall pay the transportation impact fee prior to issuance of any building permits and prior to the approval of the final map as applicable. Residential category fees are based on the number of units. Retail/Service/Office/R&D/Industrial category fees are based on the square footage of the development. Credit is given for the existing site use(s) as applicable.
57. **WATER AND SEWER CAPACITY CHARGES:** Prior to issuance of any building permits and prior to approval of the final map as applicable, the applicant shall pay the water and sewer capacity fees for the development. The water and sewer capacity charges for residential connections are based on the number and type of dwelling units. There are separate charges for different types of residential categories so that the capacity charges reasonably reflect the estimated demand of each type of connection. The water and sewer capacity charges for nonresidential connections are based on the water meter size and the building area and building use, respectively. Credit is given for the existing site use(s) and meter size(s) as applicable.
58. **STORM DRAINAGE FEE:** Pay the off-site storm drainage fee per Section 28.51(b) and with the rates in effect at time of payment.
59. **PLAN CHECK AND INSPECTION FEE:** Prior to issuance of any building permits and prior to approval of the final map as applicable, the applicant shall pay the plan check and inspection fee in accordance with Sections 27.60 and 28.36 of the City Code per the rates in effect at time of payment.

An initial plan check fee based on the Public Works fee schedule shall be paid at the time of initial improvement plan check submittal based on the initial cost estimate for constructing street improvements and other public facilities; public and private utilities and structures located within the public right-of-way; and utility, grading, and driveway improvements for common green and townhouse-type condominiums.

Once the plans have been approved, the approved cost estimate will be used to determine the final bond amounts,

plan check fees, and inspection fees. Any paid initial plan check fee will be deducted from the approved final plan check fee.

60. **PARK LAND DEDICATION FEE:** Prior to issuance of any building permits and prior to approval of the final map as applicable, the applicant shall pay the Park Land Dedication Fee (approximately \$20,000 to \$40,000 per unit) for each new residential unit in accordance with Chapter 41 of the City Code prior to the issuance of the building permit. No credit against the Park Land Dedication Fee will be allowed for private open space and recreational facilities. Provide the most current appraisal or escrow closing statement of the property with the following information to assist the City in determining the current market value of the land: (1) a brief description of the existing use of the property; (2) square footage of the lot; and (3) size and type of each building located on the property at the time the property was acquired.

STREET IMPROVEMENTS

61. **PUBLIC AND COMMON IMPROVEMENTS:** Install or reconstruct standard public and private improvements that are required for the subdivision and as required by Chapters 27 and 28 of the City Code. These improvements include, but are not limited to: abandonment of existing utility services; new domestic water, irrigation, storm, and sewer service connections; new curb, gutter, sidewalk, and driveway; new street trees; a streetlight; underground of existing overhead utilities; and half-street overly improvements.

- a. **IMPROVEMENT AGREEMENT:** The property owner must sign a Public Works Department improvement agreement for the installation of the public and common improvements prior to the approval of the building permit. Sign a Public Works Department faithful performance bond (100 percent) and materials/labor bond (100 percent) or provide a cash deposit (100 percent) or provide a letter of credit (150 percent) securing the installation and warranty of the off-site and on-site common improvements in a form approved by the City Attorney's Office. The surety (bond company) must be listed as an acceptable surety on the most current Department of the Treasury's Listing of Approved Sureties on Federal Bonds, Department Circular 570. This list of approved sureties is available through the Internet at: www.fiscal.treasury.gov/fsreports/ref/suretyBnd/c570_a-z.htm. The bond amount must be below the underwriting limitation amount listed on the Department of the Treasury's Listing of Approved Sureties. The surety must be licensed to do business in California. Guidelines for security deposits are available at the Public Works Department. Any changes to the standard agreement will require an additional one- to three-week processing time with the City Attorney's Office.

- b. **INSURANCE:** Provide a certificate of insurance and endorsement naming the City an additional insured from the entity that will sign the improvement agreement prior to the approval of the building permit. The insurance coverage amounts are a minimum of Two Million Dollars (\$2,000,000) Commercial General Liability, One Million Dollars (\$1,000,000) Automobile Liability, and One Million Dollars (\$1,000,000) Workers' Compensation. The insurance requirements are available from the Public Works Department.

62. **OFF-SITE IMPROVEMENT PLANS:** Prepare off-site improvement plans in accordance with Chapter 28 of the City Code, the City's Standard Design Criteria, Submittal Checklist, Plan Review Checklist, and the conditions of approval of the project. The plans are to be drawn on 24"x36" sheets at a minimum scale of 1" = 20'. The plans shall be stamped by a registered civil engineer and shall show all public improvements and other applicable work within the public right-of-way. A traffic control plan indicating, but not limited to, the work areas, delineators, signs, and other traffic control measures is required for work that impacts traffic on an existing street. Locations of on-site parking for construction equipment and construction workers must be submitted for review and approval. Off-site plans (10 sets), an initial plan check fee based on the Public Works fee schedule, Improvement Plan Checklist, and items noted within the checklist must be submitted together as a separate package concurrent with the first submittal of the building plans. The off-site plans must be approved and signed by the Public Works Department. After the plans have been signed by the Public Works Department, 10 black-line sets, one Xerox Mylar (4 mil) set of the plans, and CD with CAD file and PDF must be submitted to the Public Works Department

prior to the issuance of the building permit. CAD files shall meet the City of Mountain View's Digital Data Submission Standards.

63. **INFRASTRUCTURE QUANTITIES:** Submit a construction cost estimate form indicating the quantities of the street and utility improvements with the initial submittal of the improvement plans. The construction cost estimate is used to estimate the cost of street and utility improvements and to determine the Public Works plan check and inspection fees.
64. **POTHOLE PERMIT:** Obtain an Excavation Permit from the Public Works Department to conduct potholing in order to determine the depths and locations of existing subsurface utilities. Potholing shall be completed prior to the first submittal of the building plans as required by the Project's Land Development Engineer.
65. **PARKING RESTRICTION:** Parking shall be prohibited within the common driveways, excluding approved guest parking, as the parking would obstruct the use of the driveway. These parking prohibitions shall be stated within the Covenants, Conditions, and Restrictions (CC&Rs). A copy of the CC&Rs with this provision highlighted shall be submitted to the Public Works Department. The common driveway shall be signed and/or striped as "No Parking" or "No Parking – Fire Lane."
66. **ENCROACHMENT RESTRICTIONS:** Private facilities, including, but not limited to, structures, steps, handrails, fences, and retaining walls, shall not encroach into the public street easement or right-of-way.
67. **SPECIAL PAVERS AND CONCRETE:** Pavers, colored concrete, and textured concrete shall not be allowed within the public street or sidewalk.
68. **SPECIAL PAVERS AND CONCRETE REPLACEMENT:** The homeowners association shall be responsible for replacing the proposed pavers or textured concrete that is removed by the City to repair, replace, or maintain the City's underground utilities within the common driveway. This requirement shall be stated in the Covenants, Conditions, and Restrictions (CC&Rs). A copy of the CC&Rs with this provision marked or highlighted shall be submitted to the Public Works Department for review and approval.
69. **DRIVEWAY SIGHT TRIANGLE:** Within the pedestrian and/or vehicle sight triangle(s), fences, shrubs, bushes or hedges shall not exceed 3' in height while tree canopies shall maintain a minimum 6' vertical clearance at the driveway location.
70. **FENCE ENCROACHMENT:** A portion of Unit A1's fence encroaches within the pedestrian triangle of safety. Ensure that the fence or any structures shall not exceed 3' in height within the pedestrian triangle of safety. Call out the 3' maximum height of the fence.

UTILITIES

71. **WATER AND SEWER SERVICE:** Each dwelling, townhouse, apartment house, restaurant, or place of business shall have its own water meter and sanitary sewer lateral in accordance with City Code Section 35.38.
72. **SEPARATE IRRIGATION SERVICE AND METER:** A separate water service and water meter for irrigation will be required. The existing water service may be adequate to serve multiple meters, depending on size, and would require advance approval from the Public Works Director.
73. **WATER METER BANK:** The water meters shall be arranged in a bank of meters adjacent to the public sidewalk in the landscaped areas only. The bank of meters shall not be located in driveway approaches, concrete sidewalk areas, or next to the main driveway entrance so as not to impact the aesthetics of the entrance.

74. **WATER AND SEWER APPLICATIONS:** Upon submittal of the initial building permit and improvement plans, the applicant shall submit completed applications for water and sewer service if new water services, water meters, fire services, or sewer laterals are required. Any unpaid water and sanitary sewer fees must also be paid.
75. **EXCAVATION PERMIT:** Upon submittal of the initial building permit and improvement plans, the applicant shall submit a completed Excavation Permit Application to the Public Works Department for all applicable work within the public right-of-way. Permit applications are available from the Public Works Department. All work within City right-of-way must be consolidated on the site, off-site improvement or utility plans. Plans of the work, traffic control plans for work within the public roadway, insurance certificate and endorsement, and permit fees are required with the Excavation Permit Application.
76. **UTILITY SERVICES:** The size and location of all existing and new water meters, backflow preventers, water services, fire services, sewer laterals, sewer cleanouts, gate valves, and utility mains are to be shown on the plans. Sewer laterals, water services, and fire services shall have a minimum 5' horizontal separation from each other. Existing water services shall be shown to be disconnected and plugged at the main, unless they are satisfactory for reuse as determined by the Public Services Division. Water services 4" or larger that are not reused shall be plugged at the main by removing the gate valve and installing a blind flange and thrust block at the tee. Existing sanitary sewer laterals and storm connections that are not reused shall be abandoned, and existing face-of-curb drains that are not reused shall be removed.
77. **BACKFLOW PREVENTER:** Aboveground reduced-pressure backflow preventers are required for all new and existing City water services. Backflow preventers shall be located directly behind the water meter or as reasonably close as possible at a location preapproved by the Public Services Division and screened from view with landscaping. Backflow prevention assemblies shall be conveniently located as close to the meter as feasible outside of buildings and are not allowed within buildings' utility closets or basements. Protective covers and/or enclosures must be preapproved by the Cross-Connection Control Specialist prior to installation.
78. PW-39 [UTILITIES]
UNDERGROUND SERVICES: All new and existing electric, telephone, and cable television services serving the site are to be placed underground (including transformers). The undergrounding of the new and existing electric, telephone, and cable television services is to be completed prior to issuance of a Certificate of Occupancy for any new buildings within the site. (Aboveground transformers shall be located so they are screened or not visible from the street or to the general public as approved by the Community Development and Public Works Departments.)
79. PW-40* [UTILITIES]
JOINT UTILITY PLANS: Upon submittal of the initial building permit and improvement plans, the applicant shall submit joint utility plans showing the location of the proposed electric, gas, telephone, cable television, and telecommunication conduits and vaults. These plans shall be combined and made a part of the improvement plans. Dedicate utility easements that are necessary for the common utility on the final map.

SIDEWALKS AND DRIVEWAYS

80. **ADA SIDEWALK REQUIREMENTS:** A minimum 4' wide Americans with Disabilities Act-compliant public sidewalk shall be provided behind new and existing driveway approaches. Tapers (conforms) can be provided to connect the proposed public sidewalk on each side of the proposed driveway.
81. **DRIVEWAY IMPROVEMENTS:**
- a. **EXIT DRIVEWAY (LEFT SIDE):** (1) show 10' red curb (left) and 25' red curb (right); (2) install a "DO NOT ENTER EXIT ONLY" sign in landscaping area (left); and (3) show striping of directional arrow marking within the property.

- b. **ENTRANCE DRIVEWAY (RIGHT SIDE):** (1) show 10' red curb (left) and 5' red curb (right); (2) install a "ONE-WAY ENTRANCE ONLY" sign in landscaping area (right); and (3) show striping of directional arrow marking within the property.

RECYCLING

- 82. **RECOLOGY MOUNTAIN VIEW:** Recology Mountain View is the City's exclusive hauler for recycling and disposal of construction and demolition debris. For all debris boxes, contact Recology. Using another hauler may violate City Code Sections 16.13 and 16.17 and result in Code Enforcement action.
- 83. **CONSTRUCTION AND DEMOLITION ORDINANCE:** This project must comply with the City's Construction and Demolition Ordinance (City Code Chapter 16, Article III).

STREET TREES

- 84. **STREET TREES:** Install standard City street trees along the street frontage, including where there are gaps in the space of existing street trees.
- 85. **STREET TREE LOCATION:** The location of existing trees to remain, existing trees to be removed, and new street trees shall be shown on the grading, utility, and landscaping plans. New street trees are to be planted a minimum of 10' from sanitary sewer lines and 5' from water lines, fire lines, and driveways in accordance with Detail F-1 of the Standard Provisions. New street tree species must be selected from the City's official street tree list and as approved by the City's Parks and Open Space Division per Proposed Street Tree Form available online at www.mountainview.gov/planningforms.
- 86. **STREET TREE IRRIGATION:** Street trees are to be irrigated by the property owner in accordance with Chapter 32 of the City Code.

GRADING AND DRAINAGE IMPROVEMENTS (ON-SITE)

- 87. **GRADING, DRAINAGE, AND UTILITY PLANS:** Prepare on-site drainage, grading, and utility plans in accordance with Chapter 28 of the City Code and the Standard Design Criteria for Common Green and Townhouse-Type Condominiums. The plans are to be drawn on 24"x36" sheets at a minimum scale of 1" = 30'. Drainage, grading, and utility plans (10 sets) and completed infrastructure data form must be submitted together as a separate package concurrent with the first submittal of the building plans. The drainage, grading, and utility plans must be approved and signed by the Public Works Department. After the plans have been signed by the Public Works Department, 10 black-line sets and 1 Xerox Mylar (4 mil) set of the plans must be submitted to the Public Works Department prior to the issuance of the building permit. Where both off-site improvement plans and on-site drainage, grading, and utility plans are required, the plans shall be combined into one set. For on-site common driveway improvements, utility improvements, and public improvements, the developer shall sign an improvement agreement prepared by the City, submit bonds, cash security or letter of credit in a form approved by the City Attorney's Office, provide a Certificate of Insurance and endorsement naming the City an additional insured, and pay plan check and inspection fees for the work, prior to the issuance of a building permit.
- 88. **DRAINAGE REQUIREMENTS:** On-site parking lots and driveways (other than single-family residential) shall not surface-drain across public sidewalks or driveway aprons. A 2'x2' inlet/cleanout box is required at or near the property line for connections to the City storm drains. For developments that do not require a subdivision map, a connection to the City's storm main requires: (1) a written request to the Public Works Director; (2) payment of storm drainage fees; and (3) approval from the Public Works Department, unless the storm drainage fees were paid in the past for the property. A face-of-curb inlet/outlet is required to drain into the curb of the street.

89. **SURFACE WATER RELEASE:** Provide a surface stormwater release for the lots, driveways, alleys, and private streets that prevents the buildings from being flooded in the event the storm drainage system becomes blocked or obstructed.
90. **LOT DRAINAGE:** Each residential lot shall be designed to drain toward the streets, alleys, common driveways, or common areas. The drainage paths for the privately owned lots shall be designed such that the drainage paths do not cross the common property lines unless an exception is approved by the Public Works Department due to unavoidable circumstances (such as to provide drainage to an existing Heritage tree).

MISCELLANEOUS

91. **CONSTRUCTION PLAN:** Upon submittal of the initial building permit and all subsequent building permit submittals, the applicant shall provide a construction traffic and parking management plan with the building plans showing the following:
1. Truck route for construction and delivery trucks pursuant to City Code Sections 19.58 and 19.59 and which does not include neighborhood residential streets;
 2. Building construction phasing/construction equipment storage/construction parking plans: Show construction vehicles and equipment parking area and construction trailer location. All construction vehicles/equipment and trailer shall be located on-site or at a site nearby (not on a public street or public parking) arranged by the contractor. No construction equipment or vehicles shall be stored or parked on residential streets or public parking lots. Construction contractors/workers are required to park on-site or at a private property arranged by the contractor and shall not be allowed to use neighboring residential streets for parking/storage; and
 3. Sidewalk closure or narrowing is not allowed during any on-site construction activities.

The construction traffic and parking management plan must be approved prior to the issuance of a demolition permit.

92. **TRAFFIC CONTROL PLANS:** Upon submittal of the initial building permit and all subsequent building permit submittals, the applicant shall provide Traffic Control plans for any off-site and on-site improvements or any work that requires temporary lane closure, shoulder closure, bike lane closure, and/or sidewalk closure for review and approval. Sidewalk closures are not allowed unless reconstruction of sidewalk necessitates temporary sidewalk closure. In these instances, sidewalk detour should be shown on the Traffic Control plans.
93. **WELL QUESTIONNAIRE:** Add the following note to the plans: "While the District has records for most wells located in the County, it is always possible that a well exists that is not in the District's records. If previously unknown wells are found on the subject property during development, they must be properly destroyed under permit from the District or registered with the District and protected from damage."
94. **STREET CLEANING:** The owner/developer shall comply with, and the off-site and grading drainage and utility plans shall include, a general note as follows: "The prime contractor or developer is to hire a street cleaning contractor to clean up dirt and debris from City streets that are attributable to the development's construction activities. The street cleaning contractor is to have the capability of sweeping the streets with both a broom-type sweeper and a regenerative air vacuum sweeper, as directed by the Public Works Director, or his/her designated representative."
95. **OCCUPANCY RELEASE:** The owner/developer shall comply with, and the off-site and grading drainage and utility plans shall include, a general note as follows: "For residential developments, no residential units will be released for occupancy unless the improvements to be constructed to City standards and/or to be accepted for

maintenance by the City, including water meters and sanitary sewer cleanouts, are substantially complete per the City of Mountain View Standard Provisions for Public Works construction. For phased developments, portions of the units may be released for occupancy, at the City's sole discretion, provided that all public and private improvements, conditions of approval, and Building Code requirements that are necessary to support the units to be released for occupancy have been completed as determined by the City. When all of the improvements are complete and/or ready for acceptance for maintenance by the City Council, the remaining units may be released for occupancy, provided that all other conditions of approval and Building Code requirements have been met. The Public Works Director shall make the determination of what public improvements are substantially complete."

96. **PRELIMINARY TITLE REPORT:** Submit a current preliminary title report or land deed indicating the exact name of the current legal owners of the property, their type of ownership (individual, partnership, corporation, etc.), and legal description of the property involved to the Public Works Department. This information is required for the preparation of Public Works agreements and documents. Include all easements and agreements referenced in the title report.
97. **SUBDIVISION:** This site plan is a subdivision of an existing parcel(s). Any combination or division of land for purpose of sale, lease, or financing requires the filing and approval of a preliminary parcel or tentative map, completion of all conditions of subdivision approval, and the recordation of the parcel or final map, all prior to issuance of the building permit. In order to place the approval of a final map on the Council agenda, all related materials must be completed and approved 40 calendar days prior to the Council meeting.

Building Inspection Division – 650-903-6313

98. **BUILDING AND FIRE PERMITS – CODE REQUIREMENTS: Obtaining planning entitlement for this project is not an approval from Building or Fire.** A formal permit submittal to the Building Division is required. Plan check through the Building Inspection Division shall determine the specific project requirements and construction compliance in accordance with Federal, State, and local codes adopted for all building and/or fire permits.

Entitlement review by the Building Inspection Division is preliminary and only attempting to identify critical or significant code concerns. Building plan check review is a separate permit application process that can only be applied for once the Planning approvals have been obtained and the required appeal period has passed. For information on how to submit for building and fire permits please refer to the Building Inspection Division's website: www.mountainview.gov/submitbuildingpermit for review timelines and document requirements.

No construction work shall commence without the appropriate issued building permit(s) and no new occupancy shall commence without a properly executed Certificate of Occupancy. Please visit City of Mountain View – Building & Fire Division (for construction) online at www.mountainview.gov/building or by phone at 650-903-6313 to obtain information and submittal requirements.

99. **BUILDING CODES:** Construction plans will need to meet the current codes adopted by the Building Inspection Division upon submittal. Current codes are the 2016 California Codes: Building, Residential, Fire, Electrical, Mechanical, Plumbing, CALGreen, CALEnergy, in conjunction with the City of Mountain View Amendments, and the Mountain View Green Building Code (MVGBC). Any projects submitted after January 1, 2020 will be subject to the 2019 California Codes.
100. **ELECTRIC VEHICLE CHARGER (RESIDENTIAL):** Specify on the plans that the EV charger/s is/are to be deferred under separate building permit application.
101. **ADDRESSES:** All street names, street numbers, and residential apartment numbers will be processed prior to the Building Inspection Division approval of the project. Commercial suite numbers are issued by the United States Postal Service (USPS).

102. **TYPE OF CONSTRUCTION:** Provide type of proposed construction per Chapter 6 of the CBC.
103. **FIRE PROTECTION (PROJECTIONS):** Overhangs and other projections will not be permitted to cross property lines, including any property lines between units.
104. **FIRE SPRINKLERS:** An automatic sprinkler system shall be installed for structures identified with Group R occupancy per CBC, Section 903.2.8.
105. **FIRE WALLS:** Provide the required Fire Wall Resistance Ratings per CBC Table 706.4c as amended in MVCC Section 8.10.22.
106. **USE AND OCCUPANCY CLASSIFICATION:** Provide proposed use(s) and occupancy(ies) for proposed project per Chapter 3 of the CBC.
107. **PEDESTRIAN PROTECTION:** Public sidewalks are required to remain open during the course of construction. Please provide sufficient information at the time of building plan submittal to show how pedestrians will be protected per CBC, Section 3306.
108. **PHOTOVOLTAIC:** Photovoltaic systems are to be a deferred submittal under separate building permit application.
109. **SURVEY:** A survey will be required to be completed to verify structure placement.
110. **SCHOOL IMPACT FEE:** Project will be subject to School Impact fees. To obtain information, fee estimates, and procedures, please contact the following local school districts: Mountain View Los Altos High School District *and* Mountain View Whisman School District *or* Los Altos Elementary School District.
111. **DEMOLITION PERMIT(S):** Demolition permit(s) are issued under a separate permit application. Please visit City of Mountain View – Building & Fire Division online at www.mountainview.gov/building or contact by phone at 650-903-6313, to obtain information and submittal requirements.
112. **EMERGENCY ESCAPE AND RESCUE OPENINGS:** Project shall comply with the egress window requirements by the California Residential Code (CRC), Section R310.
113. **MVGBC RESIDENTIAL CALGREEN:** Project shall comply with the CALGreen checklist requirements by the City of Mountain View.
114. **BUILDING UTILITIES:** No utilities shall cross property lines.
115. **BUILDING UTILITIES:** Utilities (gas, electrical, etc.) shall comply with PG&E separation and general requirements.
116. This is not an all-inclusive list of requirements. The “conditions of approval” shall not be held to permit any violation required by the State Law or any City Ordinance. In order to meet the minimum code requirements, additional comments may be provided once a complete building permit application is submitted.

Fire Department – 650-903-6343

FIRE PROTECTION SYSTEMS AND EQUIPMENT

117. **RESIDENTIAL FIRE SPRINKLER SYSTEM:** Provide an approved automatic fire sprinkler system designed in accordance with NFPA 13D (2016 Edition) and Mountain View Fire Department specifications. Call the Building

Inspection Division at 650-903-6313 for a copy of specifications and submittal requirements or visit online at www.mountainview.gov/firerequirements. (California Residential Code Section R313.)

118. **FIRE HYDRANTS:** Hydrants in accordance with the Department of Public Works Standard Provisions shall be located every 300' apart, and within 150' of all exterior walls.
119. **SMOKE ALARMS:** All residential occupancies shall be provided with California State Fire Marshal-listed smoke alarms. Smoke alarms shall be installed in accordance with the California Building Code and the approved manufacturer's instructions. (California Fire Code Section 907.)

EGRESS AND FIRE SAFETY

120. **ON-SITE DRAWINGS:** Submit CAD (.dwg) drawing files according to Fire Department specifications prior to final Certificate of Occupancy.

EXTERIOR IMPROVEMENTS

121. **REFUSE AREAS:** Refuse areas within 5' of combustible construction or building openings shall be protected with automatic fire sprinklers. A maximum of two (2) sprinkler heads are permitted off a 1" domestic water service. Approved accessible shutoff valves shall be provided. Call the Building Inspection Division at 650-903-6313 for specifications or view online at www.mountainview.gov/firerequirements. (California Fire Code Section 304.3.)
122. **PREMISES IDENTIFICATION:** Approved numbers or addresses shall be provided for all new and existing buildings in such a position as to be plainly visible and legible from the street or road fronting the property. Address signs shall be a minimum of 6" in height. (City Code, Section 14.10.19.)

OTHER

123. **EMERGENCY ESCAPE OPENING ACCESS:** Provide clear space and ladder pads at ground level for emergency escape opening access in R and I-1 occupancies. Ladder pads shall be accessible by fire crews with a three-section, 12' long ladder. Awnings and window shades shall be designed to not interfere with ladder access. (California Building Code Section 1030.)
124. **BUILDING AND FIRE PERMITS – CODE REQUIREMENTS:** **Obtaining planning entitlement for this project is not an approval from Building or Fire.** A formal permit submittal to the Building Inspection Division is required. Plan check through the Building Inspection Division shall determine the specific project requirements and construction compliance in accordance with Federal, State, and local codes adopted for all building and/or fire permits.

Entitlement review by the Building Inspection Division is preliminary and only attempting to identify critical or significant code concerns. Building plan check review is a separate permit application process that can only be applied for once the Planning approvals have been obtained and the required appeal period has passed. For information on how to submit for building and fire permits please refer to the Building Inspection Division's website: www.mountainview.gov/submitbuildingpermit for review timelines and document requirements.

No construction work shall commence without the appropriate issued building permit(s) and no new occupancy shall commence without a properly executed Certificate of Occupancy. Please visit City of Mountain View – Building & Fire Division (for construction) online at www.mountainview.gov/building or by phone at 650-903-6313 to obtain information and submittal requirements.

ENVIRONMENTAL SAFETY

125. **CONSTRUCTION SEDIMENT AND EROSION CONTROL PLAN:** The applicant shall submit a written plan acceptable to the City which shows controls that will be used at the site to minimize sediment runoff and erosion during storm events. The plan should include installation of the following items where appropriate: (a) silt fences around the site perimeter; (b) gravel bags surrounding catch basins; (c) filter fabric over catch basins; (d) covering of exposed stockpiles; (e) concrete washout areas; (f) stabilized rock/gravel driveways at points of egress from the site; and (g) vegetation, hydroseeding, or other soil stabilization methods for high-erosion areas. The plan should also include routine street sweeping and storm drain catch basin cleaning.
126. **ENGINEERED DRAWINGS:** Treatment systems and/or porous pavement, pavers, and other uncompacted surfaces require engineered drawings.
127. **LANDSCAPE DESIGN:** Landscape design shall minimize runoff and promote surface filtration. Examples include: (a) no steep slopes exceeding 10 percent; (b) using mulches in planter areas without ground cover to avoid sedimentation runoff; (c) installing plants with low water requirements; and (d) installing appropriate plants for the location in accordance with appropriate climate zones. Identify which practices will be used in the building plan submittal.
128. **EFFICIENT IRRIGATION:** Common areas shall employ efficient irrigation to avoid excess irrigation runoff. Examples include: (a) setting irrigation timers to avoid runoff by splitting irrigations into several short cycles; (b) employing multi-programmable irrigation controllers; (c) employing rain shutoff devices to prevent irrigation after significant precipitation; (d) use of drip irrigations for all planter areas which have a shrub density that will cause excessive spray interference of an overhead system; and (e) use of flow reducers to mitigate broken heads next to sidewalks, streets, and driveways. Identify which practices will be used in the building plan submittal.
129. **PRIVATE STORM DRAIN INLET STENCILING:** For residential subdivisions with private streets, storm drain inlets shall be labeled in accordance with the City’s storm drain inlet label program (“No Dumping, Flows to Bay”).
130. **SITE DESIGN MEASURES FOR SMALL PROJECTS AND DETACHED SINGLE-FAMILY HOMES:** Stormwater site design measures are required for the following project types: (1) residential and nonresidential projects that create or replace greater than 2,500 square feet of impervious surface and less than 10,000 square feet of impervious surface; and (2) detached single-family homes that create or replace greater than 2,500 square feet of impervious surface. Projects that meet either of these criteria are required to install one or more of the stormwater site design measures listed below:
- Direct roof runoff to cisterns or rain barrels for reuse.
 - Direct roof runoff onto vegetated areas.
 - Direct runoff from sidewalks, walkways, and/or patios onto vegetated areas.
 - Construct sidewalks, walkways, and/or patios with permeable paving materials.
 - Construct bike lanes, driveways, and/or uncovered parking lots with permeable paving materials.

Indicate the stormwater site design measure that will be installed for the project.

NOTE: Zoning permits may be extended for up to an additional two years after public hearing review by the Zoning Administrator in compliance with the procedures described in the Zoning Ordinance. An application for extension must be filed with the Planning Division of the Community Development Department, including appropriate fees, prior to the original expiration date of the permit.

NOTE: As required by California Government Code Section 66020, the applicant is hereby notified that the 90-day period has begun as of the date of approval of this application, in which the applicant may protest any fees, dedications, reservations, or other exactions imposed by the City as part of this approval or as a condition of approval of this development. The fees, dedications, reservations, or other exactions are described in the approved plans, conditions of approval, and/or the adopted City fee schedule.

KP/5/CDD
828-12-10-19COA