





180 EAST EL CAMINO REAL
MOUNTAIN VIEW, CA




ABBREVIATIONS

AC	AIR CONDITIONING	MFGR	MANUFACTURER
AFF	ABOVE FINISH FLOOR	MIN	MINIMUM
AHU	AIR HANDLING UNIT	MO	MASONRY OPENING
AL	ALUMINUM	MR	MIRROR/MOISTURE RESISTANT
ASPH	ASPHALT	MT	MARBLE THRESHOLD
AT	ALUMINUM THRESHOLD	MTL	METAL
BD	BOARD	NA	NOT APPLICABLE
BLKT	BLANKET	NIC	NOT IN CONTRACT
CJ	CONTROL JOINT	NOM	NOMINAL
CLG	CEILING	NTS	NOT TO SCALE
CMU	CONCRETE MASONRY UNIT	OC	ON CENTER
COL	COLUMN CONC CONCRETE	OPP	OPPOSITE
CONT	CONTINUOUS	PLYWD	PLYWOOD
CPT	CARPET	PREFAB	PREFABRICATED
CT	CERAMIC TILE	PSF	POUNDS PER SQUARE FOOT
C/L	CENTER LINE	PT	PAINT
DBL	DOUBLE	QT	QUARRY TILE
DF	DRINKING FOUNTAIN	R	RISER
DIA	DIAMETER	REBAR	REINFORCING BAR
DIM	DIMENSION	REF	REFERENCE
DN	DOWN	REINF	REINFORCE
DS	DOWN SPOUT	REQ'D	REQUIRED
EA	EACH	RO	ROUGH OPENING
EBS	EFFINGHAM BUILDERS SUPPLY	RTU	ROOF TOP UNIT
EJ	EXPANSION JOINT	SB	SPLASHBLOCK
ELEC	ELECTRICAL	SHLVS	SHELVES
ELEV	ELEVATION	SIM	SIMILAR
EQ	EQUAL	SPEC	SPECIFICATION
EXIST	EXISTING	SS	STAINLESS STEEL
FD	FLOOR DRAIN	STL	STEEL
FE	FIRE EXTINGUISHER	STOR	STORAGE
FF	FINISH FLOOR	SUSP	SUSPENDED
FR	FIRE RATED	T	TREAD
GALV	GALVANIZED	TELE	TELEPHONE
GYPBD	GYPSON BOARD	TPO	TOILET PAPER DISPENSER
HC	HANDICAPPED	TYP	TYPICAL
HD	HEARTLAND DENTAL	UNO	UNLESS NOTED OTHERWISE
HDW	HARDWARE	VCT	VINYL COMPOSITION TILE
HM	HOLLOW METAL	VERT	VERTICAL
HVAC	HEATING, AIR CONDITIONING, &	VIF	VERIFY IN FIELD
VENT	VENTILATION	VT	VINYL THRESHOLD
INSUL	INSULATION	WC	WATER CLOSET
MAS	MASONRY	WD	WOOD
MAX	MAXIMUM	WP	WATERPROOF
MECH	MECHANICAL	WWF	WELDED WIRE FABRIC

DRAWING SYMBOLS



VICINITY MAP



PROJECT TEAM

OWNER
SOUTH BAY CBW MANAGEMENT, LLC
1530 THE ALAMEDA #300
SAN JOSE, CA 95126
CONTACT: JEFF BURRILL
EMAIL: JEFF.BURRILL@GMAIL.COM

ARCHITECT
ARCHITECT OF RECORD:
KIMBERLY C. PAVLIK
ONE SOUTH 280 SUMMIT AVE. STE D
OAKBROOK TERRACE, IL 60181
CONTACT: TOM NUTLEY
TEL. 630.932.2336
EMAIL: tnutley@interplanllc.com

MECHANICAL, PLUMBING
1488 BOND ST., SUITE 100
NAPERVILLE, IL. 60563
PH: 630.357.0540
EMAIL: JANDEJESKI@LARSONENGR.COM
RECORD: JASON ANDEJESKI

STRUCTURAL
1488 BOND ST., SUITE 100
NAPERVILLE, IL. 60563
PH: 630.357.0540
EMAIL: CHRIS.LISKA1@GMAIL.COM
RECORD: CHRISTOPHER J. LISKA

STRUCTURAL
TAMARACK GROVE ENGINEERING, PLLC.
812 SOUTH LA CASSIA DRIVE
BOISE, IDAHO 83705
CONTACT: DOUG HARDIN
P: 208.345.8941
E:DOUG.HARDIN@TAMARACKGROVE.COM

SEPARATE PERMITS

- SIGNAGE SYSTEM IS NOT WITHIN THE SCOPE OF THIS PERMIT. SUBMIT DRAWINGS TO LOCATION JURISDICTION FOR REVIEW AND APPROVAL IN ACCORDANCE WITH LOCAL CODES AND ORDINANCES PRIOR TO INSTALLATION.
- FIRE ALARM CONTRACTOR SHALL PROVIDE SHOP DRAWINGS TO THE PROPER AUTHORITIES IN THIS JURISDICTION. THESE SHOP DRAWINGS SHALL INCLUDE, BUT NOT LIMITED TO: BATTERY CALCULATIONS, VOLTAGE DROP CALCULATIONS, MANUFACTURER/MODEL NUMBER/LISTING INFORMATION FOR EQUIPMENT, DEVICES AND MATERIALS.

OUTDOOR PLAY YARD FENCES, SIGNAGE, AND FIRE ALARM ARE DEFERRED SUBMITTALS BY OTHERS.

PROJECT NOTE

KIMBERLY C. PAVLIK, ARCHITECT, HAS NOT BEEN ENGAGED FOR CONSTRUCTION ADMINISTRATION SERVICES FOR THIS PROJECT

PROJECT SCOPE

INTERIOR BUILD-OUT OF AN EXISTING BUILDING FOR A DOG DAYCARE / OVERNIGHT BOARDING FACILITY.

PROJECT DATA

PROJECT LOCATION: MOUNTAIN VIEW, CA
PROJECT DESCRIPTION: TENANT BUILD-OUT

CURRENT CODES AND STANDARDS:

- 2022 CALIFORNIA BUILDING CODE
- 2022 CALIFORNIA PLUMBING CODE
- 2022 CALIFORNIA MECHANICAL CODE
- 2022 CALIFORNIA ELECTRICAL CODE
- 2022 CALIFORNIA ENERGY CODE
- 2022 CALIFORNIA FIRE CODE
- 2022 CALIFORNIA BUILDING CODE CHAP. 11 ACCESSIBILITY
- 2022 CALIFORNIA GREEN BUILDING STANDARDS CODE

BUILDING AREA:
SINGLE STORY BUILDING, NON SPRINKLERED

OCCUPANCY TYPE (CBC 304.1):
BUSINESS GROUP B

CONSTRUCTION TYPE (CBC 602.2):
EXISTING II-B CONSTRUCTION

ALLOWABLE BUILDING HEIGHT (CBC 504.3):
OCCUPANCY: BUSINESS USE, TYPE IIB CONSTRUCTION, NON SPRINKLERED
MAX. HEIGHT: 55'-0"
ACTUAL HEIGHT: 18'-0"

ALLOWABLE BUILDING AREA (CBC 506.2)
OCCUPANCY: BUSINESS USE, TYPE IIB CONSTRUCTION, NON-SPRINKLERED
ALLOWED AREA: 23,000 S.F.
ACTUAL AREA: 7,200 S.F.

SPECIAL FLOOD HAZARD ZONE AS SHOWN ON FEMA MAPS

OCCUPANT LOAD (CBC 1004.5) BASED ON 7,200 S.F. BUILDING:
BUSINESS AREAS: 1,828/150 SF PER PERSON=13
LOW-HAZARD STORAGE AREAS: 5,372 / 500 SF PER PERSON=11

TOTAL MAX. OCCUPANT LOAD: =24

EGRESS WIDTH PER OCCUPANT SERVED (CBC 1006):
NUMBER OF EXITS
EGRESS REQUIRED: 1 ; EGRESS PROVIDED: 3

EGRESS WIDTH (CBC 1005):
OCCUPANCY
BUSINESS OCCUPANCY
WITHOUT SPRINKLER SYSTEM
EGRESS WIDTH PER OCCUPANT SERVED
24 x 0.20" = 4.8" MINIMUM
(3) 36" WIDE = 108" TOTAL
PROVIDED 108" - FROM BUILDING

EXIT ACCESS TRAVEL DISTANCE (CBC 1017)
SPRINKLERED: NO
MAX. LENGTH : 200 FEET
MAX. LENGTH PROVIDED: 122'-0" FEET

PLUMBING FIXTURE REQUIREMENTS (2022 CPC TABLE 422.1) OCCUPANCY

WATER CLOSETS: MALE 1:1-50, FEMALE 1:1-15
(2) REQUIRED, (2) PROVIDED
LAVATOIRES: MALE 1:1-75, FEMALE 1:1-50
(2) REQUIRED, (2) PROVIDED
MOP SINK: (1) REQUIRED, (1) PROVIDED
DRINKING FOUNTAINS: (2) PROVIDED

TOILET-ROOMS: (2) REQUIRED, (2) PROVIDED

DRAWING INDEX

GENERAL					
T1.0	COVER SHEET				
T1.1	ACCESSIBILITY STANDARDS				
T1.2	CAL GREEN				
T1.3	CAL GREEN				
T1.4	CAL GREEN				

ARCHITECTURAL					
D1.0	DEMOLITION PLAN				
ASP1.0	ARCHITECTURAL SITE PLAN				
A1.0	FLOOR PLAN				
A1.1	ENLARGED FRONT OF HOUSE PLAN				
A1.2	INTERIOR / RESTROOM ELEVATIONS				
A1.3	WALL SECTIONS AND DETAILS				
A1.4	DETAILS				
A2.0	FLOOR FINISH PLAN				
A3.0	REFLECTED CEILING PLAN				
A4.0	RECEPTION DESK DETAILS				
A4.1	RECEPTION DESK FINISHES				
A5.0	EXTERIOR ELEVATIONS				
A5.1	ROOF PLAN				
A6.0	DOOR SCHEDULE				
A6.1	FINISH SCHEDULE				
SP-1	SPECIFICATIONS				
SP-2	SPECIFICATIONS				

STRUCTURAL					
S0.0	GENERAL STRUCTURAL NOTES				
S1.0	ROOF FRAMING PLAN				
S2.0	STRUCTURAL DETAILS				

MECHANICAL					
M0.0	MECHANICAL SPECIFICATIONS				
M0.1	MECHANICAL SPECIFICATIONS				
M1.0	MECHANICAL PLAN				
M1.1	MECHANICAL ROOF PLAN				
M1.2	MECHANICAL PLAN - NATURAL GAS PIPING				
M2.0	MECHANICAL SCHEDULES				
M2.1	MECHANICAL SCHEDULES				
M3.0	MECHANICAL COMPLIANCE				

PLUMBING					
P0.0	PLUMBING SYMBOLS AND ABBREVIATIONS				
P0.1	PLUMBING SPECIFICATIONS				
P1.0	PLUMBING WASTE AND VENT FLOOR PLAN				
P2.0	PLUMBING DOMESTIC WATER FLOOR PLAN				
P3.0	PLUMBING SCHEDULES AND DETAILS				
P4.0	PLUMBING SCHEDULES AND DETAILS				
P5.0	PLUMBING SCHEDULES AND DETAILS				


ELECTRICAL					
E0.0	ELECTRICAL SYMBOLS AND ABBREVIATIONS				
E0.1	ELECTRICAL PLAN SPECIFICATIONS				
E1.0	ELECTRICAL POWER FLOOR PLAN				
E1.1	ELECTRICAL POWER ROOF PLAN				
E2.0	ELECTRICAL LOW VOLTAGE PLAN				
E3.0	ELECTRICAL LIGHTING PLAN				
E4.0	ELECTRICAL SCHEDULES				
E4.1	ELECTRICAL SCHEDULES				
E4.2	ELECTRICAL SCHEDULES				
E4.3	ELECTRICAL SCHEDULES				
E4.4	ELECTRICAL SCHEDULES				
E4.5	ELECTRICAL SCHEDULES				
E4.6	ELECTRICAL SCHEDULES				

KIMBERLY PAVLIK
ARCHITECT

1 SOUTH 280 SUMMIT AVE. STE D
OAKBROOK TERRACE, IL 60181
630.932.2336

SEAL:

11/21/2024



CAMP
BOW WOW


180 EAST EL CAMINO REAL
MOUNTAIN VIEW, CA

PROJECT NO: 2024.0486
DATE: 9.12.2024

T1.0
COVER SHEET

CHECKED: JS DRAWN: TN

COPYRIGHT © 2024 KIMBERLY PAVLIK. ALL RIGHTS RESERVED. THESE DOCUMENTS TO THE ORIGINAL SITE OR PURPOSE FOR WHICH THEY WERE PREPARED. REPRODUCTIONS, CHANGES OR ASSIGNMENTS ARE PROHIBITED.



PROJECT INFORMATION
CAMP BOW WOW - DOG DAY CARE AND BOARDING
ADDRESS: 180 E. EL CAMINO REAL
CONSTRUCTION TYPE: II-B
BUILDING SQUARE FOOTAGE: 7,200 S.F.
OUTDOOR PLAY YARDS: 1,185 S.F.
EXISTING LAND-USE: VACANT PAINT STORE
PROPOSED OCCUPANCY: BUSINESS USE
CURRENT ZONING: P(38) EL CAMINO REAL PRECISE PLAN
SPECIAL FLOOD HAZARD ZONE: ZONE X

PARKING:
ANIMAL SERVICES ESTABLISHMENTS
1/200 GROSS SQ. FEET
GROSS SQ. FOOTAGE: 7,500 = 38 REQUIRED PARKING SPACES
38 EXISTING PARKING SPACES, INCLUDING (2) ACCESSIBLE STALLS

1 ARCHITECTURAL SITE PLAN
SCALE: 3/32"=1'-0"

EAST EL CAMINO REAL



3 AREA MAP
SCALE: NONE



2 VICINITY MAP
SCALE: NONE

KIMBERLY PAVLIK
ARCHITECT

1 SOUTH 280 SUMMIT AVE. STE D
OAKBROOK TERRACE, IL 60181
630.932.2336

SEAL:

THIS DOCUMENT IS NOT
FOR REGULATORY
APPROVAL, PERMITTING,
OR CONSTRUCTION.

FOR
INFORMATIONAL
PURPOSES
ONLY

9/12/2023 ISSUE FOR PERMIT
NO DATE REMARKS

REVISIONS


CAMP
BOW WOW
180 EAST EL CAMINO REAL
MOUNTAIN VIEW, CA

PROJECT NO: 2024.0486
DATE: 9.12.2024

ASP1.1
ARCHITECTURAL SITE PLAN
DETAILS

CHECKED: JS DRAWN: TN

COPYRIGHT © 2024 KIMBERLY PAVLIK. ALL RIGHTS RESERVED. THIS DOCUMENT IS THE ORIGINAL SITE OR PURPOSE FOR WHICH IT WAS PREPARED. REPRODUCTIONS, CHANGES OR ASSIGNMENTS ARE PROHIBITED.



1 TRASH TRUCK CIRCULATION PLAN
SCALE: NTS

KIMBERLY PAVLIK
ARCHITECT

1 SOUTH 280 SUMMIT AVE, STE D
OAKBROOK TERRACE, IL 60181
630.932.2336

SEAL:

THIS DOCUMENT IS NOT
FOR REGULATORY
APPROVAL, PERMITTING,
OR CONSTRUCTION.

FOR
INFORMATIONAL
PURPOSES
ONLY

9/12/2023 ISSUE FOR PERMIT
NO DATE REMARKS
REVISIONS


CAMP
BOW WOW
180 EAST EL CAMINO REAL
MOUNTAIN VIEW, CA

PROJECT NO: 2024.0486
DATE:


ASP1.2
TRASH TRUCK CIRCULATION
PLAN

CHECKED: JS DRAWN: TN


COPYRIGHT © 2024 KIMBERLY PAVLIK ARCHITECT. ALL RIGHTS RESERVED. THESE DOCUMENTS TO THE ORIGINAL SITE OR PURPOSE FOR WHICH THEY WERE PREPARED. REPRODUCTIONS, CHANGES OR ASSIGNMENTS ARE PROHIBITED.




4 TRASH ENCLOSURE FRONT ELEVATION
SCALE: 1/2" = 1'-0"




5 TRASH ENCLOSURE SIDE ELEVATION
SCALE: 1/2" = 1'-0"




6 BOLLARD DETAIL
SCALE: 3/4" = 1'-0"




6 WALL BUMPER DETAIL
SCALE: N.T.S.



3 TRASH ENCLOSURE SECTION
SCALE: 1/2" = 1'-0"




2 TRASH ENCLOSURE WALL SECTION - TYP. AT ALL WALLS
SCALE: 1/2" = 1'-0"



1 TRASH ENCLOSURE PLAN
SCALE: 1/2" = 1'-0"

GENERAL NOTES:

- RECEPTION DESK, GATES & DOORS PROVIDED AND INSTALLED BY G.C., REFER TO A4.0 & A6.0.
- ALL NUMBERED CABINS AND INTERIOR FENCE TYPE 1 ARE PROVIDED BY OWNER AND INSTALLED BY THE GENERAL CONTRACTOR.
- GC TO PROVIDE FULL SET OF ARCH, MEP AND STRUCTURAL (IF APPLICABLE) TO MEP SUBS TO ENSURE ALL REQUIREMENTS ARE CONVEYED.
- FRP COLOR "WHITE", CLASS III/C RATING, SEE SHEET A2.0 & A2.1 FOR LOCATIONS.
- ALL ELECTRICAL OUTLETS MOUNTED IN GROOM / BATHING ROOM, TEA CUP AREAS, BOARDING ROOMS, AND INDOOR / OUTDOOR PLAY YARDS SHALL BE GFCI PROTECTED, WEATHER RESISTANT TYPE AND INSTALLED IN WEATHER-PROOF ENCLOSURES AND PROVIDED w/ WEATHERPROOF INDOUSE COVERS.
- ALL ELECTRICAL OUTLETS LOCATED IN GROOM / BATHING ROOMS, SHALL BE MOUNTED BETWEEN 48"-60" O.C. A.F.F. ALL ELECTRICAL OUTLETS IN LUXURY SUITES, ENRICHMENT ROOM, HALLWAY/STEA CUP AREAS, BOARDING AREA AND INDOOR PLAY YARDS SHALL MOUNTED BETWEEN 60"-65" O.C. A.F.F. OUTLETS MAY BE MOUNTED HORIZONTALLY WHEN ACCEPTABLE BY CODE.
- GC SHLL COORD. THE LOCATIONS & MOUNTING HEIGHTS OF ALL DEVICES & OUTLETS WITH INSTALLATION OF WALL TILE & WAINSCOT FRP AND BLUE PLASTIC PANELS BEFORE ROUGH-IN. GC TO AVOID LOCATING DEVICES & OUTLETS ALONG TOP EDGE OF WALL TILE, WAINSCOT FRP AND BLUE PLASTIC PANELS TO PREVENT NOTCHING OR TRIM OUT OF THESE WALL FINISHES. FINISHES FOUND TO BE NOTCHED OR TRIMMED OUT WILL BE THE RESPONSIBILITY OF THE CONTRACTOR TO RELOCATE DEVICES AND OUTLETS AND REPLACE FINISHES AT NO ADDITIONAL COST RO OWNER.
- IF WOOD STUDS ARE USED, BOTTOM PLATE SHALL BE PRESERVATIVE TREATED (B2304.11)
- IF USING WOOD STUDS, PROVIDE FIRE BLOCKING IN NEW WALLS @ CEILING LINES (B717.2)
- RESTROOM WALLS SHALL BE INSULATED WITH SOUND ATTENUATED BATTS
- ALL GYPSUM AT WET AREA WALLS TO BE PURPLE BOARD GYPSUM IN LIEU OF STANDARD GYP BOARD.
- PROVIDE CLEAR SILICONE CAULKING WHERE COMPOSITE DECK BOARD, FRP AND BLUE PLASTIC SHIPLAP PANELS MEETS FLOORING AND WHERE COMPOSITE DECK BOARD MEETS WALLS.
- PROVIDE TWO (2) SEPARATE CIRCUITS FOR TWO (2) QUADPLEX RECEPTACLE AND THREE (3) DUPLEX RECEPTACLE POINTS AT FRONT DESK - FOR NEW FRONT DESK, THE CONDUIT RACEWAY IS PROVIDED UNDER CONCRETE SLAB AND EXTENDED TO FRONT COUNTER WALL JUST BELOW THE FRONT 24" WORK SURFACE TO PROVIDE HOUSE POWER. SEE LOBBY DESK ELEVATION DRAWINGS 2/A4.0 AND 7/A4.1 FOR RACEWAY DETAILS. FOR RETRO-FIT, FRONT DESK POWER IS EXTENDED FROM CEILING ABOVE THRU ONE HOLLOW LOG COLUMN FROM CEILING TO CORNER OF FRONT COUNTER ON CHECK-IN/OUT SIDE AND EXTENDED TO JUST BELOW THE FRONT 24" WORK SURFACE. SEE ELEC. POWER PLAN FOR ACTUAL LOCATIONS OF RECEPTICLES.
- PROVIDE CONDUIT AND J-BOXES FOR EIGHT (8) CAT-5/CAT-6 CABLES FOR PHONE/DATA POINTS AT FRONT DESK. FOR NEW FRONT DESK, THE CONDUIT RACEWAY IS PROVIDED UNDER THE CONCRETE SLAB AND EXTENDED TO FRONT COUNTER WALL JUST BELOW THE FRONT 24" WORK SURFACE TO PROVIDE CABLES FOR TWO (2) PHONES, TWO (2) COMPUTERS, TWO (2) CREDIT CARD MACHINES, ONE (1) ROLLOVER NUMBER, AND ONE (1) PRINTER. SEE LOBBY DESK ELEVATION DRAWINGS 2/A4.0 AND 7/A4.1 FOR RACEWAY DETAILS. FOR RETRO-FIT FRONT DESK, THE VOICE/DATA CABLES ARE EXTENDED FROM ABOVE CEILING THRU ONE HOLLOW LOG COLUMN FROM CEILING TO CORNER OF FRONT TOP COUNTER ON CHECK-IN/-OUT SIDE AND EXTENDED TO JUST BELOW THE FRONT 24" WORK SURFACE. SEE ELEC. LOW VOLTAGE POWER PLAN FOR ACTUAL LOCATION OF J-BOXES AND RJ-45 JACKS (BLACK JACKS FOR VOICE AND BLUE JACKS FOR DATA). LOW VOLTAGE CABLES FOR PHONES AND COMPUTERS PROVIDED BY OTHERS UNLESS NOTED OTHERWISE.
- PROVIDE JUNCTION BOX AND ELECTRICAL CIRCUITRY FOR POWER SUPPLY ASSOCIATED WITH DETEX V40EE DELAYED EGRESS DEVICE. CONNECT FIRE ALARM INPUT AT POWER SUPPLY TO FAILSAFE UPON SYSTEM ACTIVATION. CONNECT SECURITY SYSTEM TO NOTIFY OWNER UPON ACTIVATION.
- ALL "B" GATES SWING IN BOTH DIRECTIONS.
- EXCEPT FOR POWER AND DATA FOR (2) MENU BOARDS, THERE SHALL BE NO RECEPTACLES, SWITCH BANKS OR THERMOSTATS INSTALLED ON BACK RECEPTION WALL TO BE COVERED WITH TURF. FOR 8/A4.1 FOR DETAILS
- GC TO PROVIDE FORKLIFT WITH 8FT FORK AND LIFT CAPACITY OF 5000-8000 LBS TO OFFLOAD CABIN AND INDOOR PLAY YARD FENCE. 5 POINT SHIPPING WILL CHARGE AN ADDITIONAL HOURLY FEE WILL BE CHARGED FOR (FORKLIST) EQUIPMENT DELAY TO OFFLOAD CABINS AND FENCE.
- BEFORE PB&J WILL SCHEDULE INSTALL OF THE DUAL MENU BOARD MONITORS BEHIND THE FRONT DESK, THE OWNER MUST INFORM PB&J WHEN 1) THE THREE (3) DUPLEX OUTLETS AND THREE (3) J-BOXES FOR DATA CABLES HAVE BEEN INSTALLED, ONE SET BEHIND EACH MONITOR; 2) WHEN BUILDING POWER AND INTERNET IS ACTIVE AND ACCESSIBLE WITHIN THE CAMP; 3) THE WALL TURF HAS BEEN INSTALLED. DATA CABLES AND MONITORS PROVIDED AND INSTALLED BY PB&J.
- EXCEPT FOR POWER AND DATA FOR THE TWO(2) MENU BOARDS, THERE SHALL BE NO RECEPTACLES, SWITCH BANKS, THERMOSTATS, EMERGENCY LIGHTING CONTROL PANELS, FIRE ALARM DEVICES OR OTHER SUCH SIMILAR OBJECTS INSTALLED IN BACK RECEPTION WALL AREA TO BE COVERED WITH TURF. EXISTING DEVICES WITHIN WALL TURF AREA SHALL BE RELOCATED OUTSIDE THE TURK AREA, SEE 8/A4.1 FOR DETAILS
- FOR WALL TYPES WHERE GYPSUM BOARD OF ANY TYPE, EXCEPT DENSGLASS / DENSSHIELD, IS TO BE COVERED WITH FRP, TILE, RUBBER COVEBASE OR COMPOSITE DECK BOARD, INSTALL ALL GYPSUM BOARD w/ 1/4" GAP A.F.F. TO PREVENT ANY LIQUIDS FROM BRING ABSORBED INTO THE GYPSUM BOARD.



KENNEL DESIGN

CABINS:
SMALL DOGS CABIN 4'Wx4'Lx6'H
MEDIUM DOGS CABIN 4'Wx6'Lx6'H
LARGE DOGS CABIN 6'Wx8'Lx6'-6'H

FENCE TYPES

- INDOOR PLAY AREA INTERIOR FENCE 4'-0" x 5'-0" HIGH SCOUTS CAMP CORRAL WALL AND GATES. SEE SHEET SP-1 FOR DETAILS.
- NOT USED
- OUTDOOR INTERNAL FENCE: 8'-0" PVC VINYL FENCE. SEE SHEET SP-1 FOR DETAILS.
- OUTDOOR FENCE: 8'-0" HIGH PVC VINYL FENCE. SEE SHEET SP-1 FOR DETAILS.

LEGEND

- WALL TYPE - SEE DETAIL 1/A1.3
- DOOR NUMBER - REFER TO SHEET A-6.0
- NEW WINDOW - REFER TO SHEET A-6.0
- GATE NUMBER - REFER TO SHEET A-6.0
- FENCE TYPE - REFER TO SHEET A-1.0 FOR FENCE TYPES
- EXISTING WALL
- NEW WALL CONSTRUCTION-REFER TO WALL TYPE SECTIONS
- NEW HALF-WALL CONSTRUCTION-REFER TO WALL TYPE SECTIONS

KEYED NOTES

1	PROVIDE BLOCKING FOR WALL MOUNTED TV, SEE ELEC. DRAWINGS FOR MONITOR OUTLET HEIGHTS, SEE 6/A1.3
2	ELECTRICAL SERVICE, SEE ELEC. DWGS.
3	PROVIDE TACTILE SIGN STATING "EXIT" IN COMPLIANCE WITH ICC/ANSI A117.1. AMERICAN NATIONAL STANDARD FOR ACCESSIBLE AND USABLE BUILDINGS AND FACILITIES. INSTALL ADJACENT TO LATCH SIDE OF DOOR 60" ABOVE FINISHED FLOOR TO THE CENTER LINE OF THE SIGN.
4	LINE OF HEADER ABOVE. B/ HEADER @ 10'-0" A.F.F. SEE DETAIL 2/A3.0.
5	TOP OF COUNTER @ 34" AFF.
6	NEW SERVICE SINK - SEE PLUMBING DRAWINGS.
7	NEW WATER HEATER - SEE PLUMBING DRAWINGS.
8	PROVIDE OPENING IN WALL FOR NEW DOOR ASSEMBLY. SEE HEADER DETAIL 5/A1.4. PROVIDE BLOCKING AS REQUIRED.
9	PROVIDE PURPLE BOARD GYPSUM @ 48" A.F.F. ON ALL WET WALLS.
10	G.C. PROVIDE & INSTALL 6x2' DELI-STYLE COUNTER, COORD. FINISH & STYLE w/ OWNER. OWNER TO PROVIDE & INSTALL COUNTER STOOLS. VERIFY w/ OWNER THE EXACT DIMS OF COUNTER.
11	MOP BUCKET STORAGE.
12	NOT USED - STING GYP. BOARD AS NECESSARY.
13	EXISTING COLUMN TO REMAIN, PROTECT DURING CONSTRUCTION. COORD. CABINS w/ EXIST. COL. LOCATIONS
14	TWO COMMERCIAL MONITOR MENU BOARDS - PROVIDED BY OWNER, INSTALLED BY PB&J. GC TO PROVIDE BLOCKING PER KEYED NOTE #1. GC TO PROVIDE (1) ONE DUPLEX OUTLET & (1) 2x4 J-BOX w/ CONDUIT STUB-OUT ABOVE ACOUSTICAL CEILING FOR ONE(1) CAT-5/6 CABLE BEHIND EACH MONITOR. CAT-5/6 CABLES PROVIDED BY OWNER, INSTALLED BY PB&J. SEE ELECTRICAL POWER PLAN AND ELECTRICAL LOW-VOLTAGE PLAN FOR LOCATION OF POWER OUTLETS AND DATA J-BOXES. TO SCHEDULE MONITOR INSTALLATION, OWNER TO CONTACT PAUL DEMMA AT: 877-722-6358; EMAIL: paul@pbnjv.com. SEE GENERAL NOTE #16 THIS SHEET FOR ADDITIONAL OWNER RESPONSIBILITIES w/ COORDINATING INSTALL SCHEDULE w/ PB&J.
15	PORTABLE FIRE EXTINGUISHER - VERIFY EXACT LOCATION AND OTHER REQUIREMENTS w/ LOCAL FIRE MARSHALL. MIN. RATING 3A40BC, WHERE FIRE EXTINGUISHERS ARE REQUIRED TO BE MOUNTED IN FRONT OF CORRUGATED PANELS / PAN LINERS, GC TO PROVIDE BLOCKING BEHIND CORRUGATED PANELS / PAN LINERS
16	NEW STOREFRONT VESTIBULE. COLOR AND STYLE TO MATCH EXISTING STOREFRONT, SEE A6.0

NO NOISE REDUCTION PROPOSED

GENERAL CONTRACTOR NOTE:
GC TO PROVIDE FORKLIFT WITH 8FT FORK AND LIFT CAPACITY OF 5000-8000 LBS TO OFFLOAD CABIN AND INDOOR PLAY YARD FENCE. 5 POINT SHIPPING WILL CHARGE AN ADDITIONAL HOURLY FEE WILL BE CHARGED FOR (FORKLIST) EQUIPMENT DELAY TO OFFLOAD CABINS AND FENCE.

OWNER NOTE:
BEFORE PB&J WILL SCHEDULE INSTALL OF THE DUAL 50" MENU BOARD MONITORS BEHIND THE FRONT DESK AND THE INTERVIEW MONITOR, THE OWNER MUST INFORM PB&J WHEN 1) THE THREE(3) DUPLEX OUTLETS AND THREE(3) J-BOXES FOR DATA CABLES HAVE BEEN INSTALLED, ONE SET BEHIND EACH MONITOR; 2) WHEN BUILDING POWER AND INTERNET IS ACTIVE AND ACCESSIBLE WITHIN THE CAMP; 3) THE WALL TURF HAS BEEN INSTALLED. DATA CABLES AND MONITORS PROVIDED AND INSTALLED BY PB&J.

KIMBERLY PAVLIK
ARCHITECT

1 SOUTH 280 SUMMIT AVE. STE D
OAKBROOK TERRACE, IL 60181
630.932.2336

SEAL: 11/21/2024



9/12/2023 ISSUE FOR PERMIT
NO DATE REMARKS
REVISIONS


CAMP
BOW WOW
180 EAST EL CAMINO REAL
MOUNTAIN VIEW, CA

PROJECT NO: 2024.0486
DATE: 9.12.2024


A1.0
FIRST FLOOR PLAN

CHECKED: JS DRAWN: TN


1 FLOOR PLAN
SCALE: 3/16" = 1'-0"




1 FRONT ELEVATION
SCALE: 3/16" = 1'-0"



2 REAR ELEVATION
SCALE: 3/16" = 1'-0"




3 SIDE ELEVATION
SCALE: 3/16" = 1'-0"



4 SIDE ELEVATION
SCALE: 3/16" = 1'-0"

POSTS AT TRASH
ACE ANY
ATCH EXISTING



1 ROOF PLAN

SCALE: 3/16" = 1'-0"

KIMBERLY PAVLIK
ARCHITECT

1 SOUTH 280 SUMMIT AVE, STE D
OAKBROOK TERRACE, IL 60181
630.932.2336

SEAL:

THIS DOCUMENT IS NOT
FOR REGULATORY
APPROVAL, PERMITTING,
OR CONSTRUCTION.

NO	DATE	ISSUE FOR PERMIT	REMARKS
REVISIONS			

CAMP
BOW WOW
180 EAST EL CAMINO REAL
MOUNTAIN VIEW, CA

PROJECT NO: 2024.0486
DATE: Value

A5.1
ROOF PLAN

CHECKED: ValueDRAWN: Value

COPYRIGHT © 2024 KIMBERLY PAVLIK ARCHITECT. ALL RIGHTS RESERVED. THESE DOCUMENTS TO THE ORIGINAL SITE OR PURPOSE FOR WHICH THEY WERE PREPARED. REPRODUCTIONS, CHANGES OR ASSIGNMENTS ARE PROHIBITED.